CPMG / KA / BG-GPO/13/2003-2005



ಕರ್ನಾಟಕ ರಾಜ್ಯಪತ್ರ

ಅಧಿಕೃತವಾಗಿ ಪ್ರಕಟಿಸಲಾದುದು

ಸಂಪುಟ ೧೪೦	ಬೆಂಗಳೂರು, ಗುರುವಾರ, ಮೇ ೫, ೨೦೦೫ (ವೈಶಾಖ ೧೫, ಶಕ ವರ್ಷ ೧೯೨೭)	ಸಂಚಿಕೆ ೧೮

ಭಾಗ - ೪

ರಾಜ್ಯದ ವಿಧೇಯಕಗಳ ಮತ್ತು ಅವುಗಳ ಮೇಲೆ ಪರಿಶೀಲನಾ ಸಮಿತಿಯ ವರದಿಗಳು, ರಾಜ್ಯದ ಅಧಿನಿಯಮಗಳು ಮತ್ತು ಅಧ್ಯಾದೇಶಗಳು, ಕೇಂದ್ರದ ಮತ್ತು ರಾಜ್ಯದ ಶಾಸನಗಳ ಮೇರೆಗೆ ರಾಜ್ಯ ಸರ್ಕಾರವು ಹೊರಡಿಸಿದ ಸಾಮಾನ್ಯ ಶಾಸನಬದ್ಧ ನಿಯಮಗಳು ಮತ್ತು ರಾಜ್ಯಾಂಗದ ಮೇರೆಗೆ ರಾಜ್ಯಪಾಲರು ಮಾಡಿದ ನಿಯಮಗಳು, ಹಾಗೂ ಕರ್ನಾಟಕ ಉಚ್ಚ ನ್ಯಾಯಾಲಯವು ಮಾಡಿದ ನಿಯಮಗಳು.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 61 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 7ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಜನವರಿ 8ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 80 [Notification No.F.No.WM.21/(254)2003] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.


MINISTRY OF CONSUMER AFFAIRS, FOOD AND PUBLIC DISTRIBUTION

(Department of Consumer Affairs)

New Delhi, the 21st December, 2004

S.O. 80.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see in figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain if accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic weighing instrument (Platform machine-Pro Weight type) with analogue indication of Medium accuracy (accuracy class-III) and with brand name "TIGER" (herein referred to as said model), manufactured by M/s Dodia Scale Co., Shivaji Nagar, Savarkundla-364 515 and which is assigned the approval mark IND/09/2004/129;



The said Model is a mechanical steelyard type, compound liver based non-automatic weighing instrument (Platform machine-Pro Weight type) with a maximum capacity of 300kg and minimum capacity of 1 kg. The verification scale interval (e) is 50g.

In addition to sealing the stamping plate, sealing is also done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of section 36, of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 50kg and up to 1000 kg with verification scale interval (n) in the range of 100 to 10000 for 'e' value of 5g or more and with 'e' value of 1 x 10^k, $2x10^k$ or $5x10^k$, k being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principal, design and with the same materials with which, the approved Model has been manufactured.

[F.No. WM-21(254)/2003]

P.A. KRISHNAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 71

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ


ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 62 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 7ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಜನವರಿ 8ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 81 [Notification No.WM-21(112)/2003] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 21st December, 2004

S.O. 81.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of a Taxi Meter with digital indication of series 'MUNKY METER' with brand name "MUNKY" (herein referred to as the said model), manufactured by M/s Shekhar Brother, 151, Jor Bagh, New Delhi-110 003 and which is assigned the approval mark IND/09/2003/179.



In addition to sealing the stamping plate, sealing shall also be done on the pulse generator, cable connecting points and the main fare meter to prevent their tampering for fraudulent practices.

The said model is a 'Taxi Meter' with digital indication incorporated with a distance and time measuring device. It totalizes continuously and indicates at any moment of the journey, the charges payable by the passenger. The "fare to pay" is a function of the distance travelled aove a certain speed and the time occupied below that speed. The reading of the meter is indicated by seven segment Light Emitting Diode (LED). The 'K' factor of the meter is 1680 pulses/kilometer.

[F.No. WM-21(112)/2003]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಉಪ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 72

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 64 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 9ನೇ ಮಾರ್ಚ್ 2005


2004ನೇ ಸಾಲಿನ 25.12.2004ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 3278 [Notification No.F.No.WM.21(219)2001] ದಿನಾಂಕ:18.12.2004 ಮತ್ತು S.O.3279 [Notification No.F.No.WM.21/(111/)2003] ದಿನಾಂಕ: 3.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 18th August, 2004

S.O. 3278.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-section (7) and (8) of Section 36 of the said Act, the Central Government hereby publishes the certificate of approval of the model of non-automatic weighing instrument (Weighbridge type) with digital indication belonging to medium accuracy (Accuracy class III) of "WB" sseries with brand name "ELECTRO" (herein referred to as the said Model), manufactured by M/s Weightronics, Plot No. 172-173, Part-A, M.I.E. Bahadurgarh-124 507 (Haryana) and which is assigned the approval mark IND/09/2004/81;

The said Model is a non-automatic weighing instrument (weighbridge) with a maximum capacity of 30,000kg and minimum capacity of 100kg the verification scale interval (e) is 5kg. It has a tare device with a 100 per-cent subtractive retained tare effect The Light Emitting Diode display indicates the weighing result. The instrument operates on 230 volts and 50-Hertz alternate current power supply. The load cell is of strain gauge type.



In addition to scaling the stamping plate sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the power conferred by Sub-section (12) of section 36 of the saiod Act, the Central Government hereby declares that this certificate of approval of the said model shall alsao cover the weighing instrument of similar make, accuracy and performance of same series with maximum capacity above 5tonne and upto 100 tonne with verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5kg or more and with 'c' value $1x10^k$, $2x10^k$ or $5x10^k$, k being the positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principal, design and with the same materials with which, the said approved moidel has been manufactured.

[F.No. WM-21(219)/2001]


P.A. KRISHAMOORTHY, Director of Legal Metrology.

New Delhi, the 3rd December, 2004

S.O. 3279.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maiontain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-ssections (7) and (8) of Section 36 of the said Act, the Central overnment hereby issues and publishes the certificate of approval of the model of self-indicating, non-automatic, (Table top type) weighing instrument with digital indication of "JEWEL" series of high accuracy (Accuracy class-II) and with brand name "EAGLE" (herein after referred to as the said model), manufactured by M/s Shanghi Yousheng Weighging Apparatus Co. Limited, Room No. 201, Bldfg. No. 10 No. 45, Zhuan Xin Road, Minhang, Shanghai, China and imported in India by M/s E.G. Kantawalla Pvt. Limited, Survey No. 28/1, Damodar Nagar, Old Nagar Mundhwa Road Kharadi, Pune-411014 and which is assigned the approval mark IND/09/2004/232.

The said Model (see the figure given below) is strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 300g and minimum capacity of 500mg. The verification scale interval (c) is 10mg. It has a tare device with a 100 per cent subtractive retained tare effect. The Light Emitting Diode (LED) indicates the weighing result. The instrument operates on 230 Volts and 50-hertz alternate current power supply.



In addition to sealing the stamping plate sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, and performance of same series with maximum capacity upto 50kg and with number of verification scale interval (n) in the range of 100 to 5,000 for 'e' value of 1mg to 50mg and with number of verification scale interval (n) in the range of 5,000 to 50,000 for 'e' value of 100mg or more and with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, k being the positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F.No. WM-21(111)/2003]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಪಿ.ಆರ್. 73

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 65 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 10ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಜನವರಿ 5ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 85 [Notification No.F.No.WM.21(176)2003] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 21st December, 2004

S.O. 85.- Whereas the Central Government, after consedering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of Automatic Liquor Measure with brand name "EASYPOUR" (hereinafter referred to as the said Model) manufactured by M/s Beverage Management Systems, 19799 S W 95th Place, Suite A, Tualtin, Orissa 97062 and marketed in India by M/s V-Medirata Inc., C-194, (LGF) Defence Colony, New Delhi-110024 and which is assigned the approval mark IND/09/2004/275;



The said Model (see the figure given above) is an automatic liquor measure with a filling capacity of 30ml at a time. It is used for filling the liquid products like liquor, beer, wine, soda etc. It is a dispensing device where there is a central unit to which a ring reader is attached through a cord. The bottles are fitted

with magnetic poures and sealed. The liquor will dispensed from the bottle only when the bottle with pourer is taken through the ring reader.

[F.No. WM-21(176)/2003]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಪಿ.ಆರ್. 76

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ


ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 66 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 10ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಜನವರಿ 5ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 84 [Notification No.F.No.WM.21(139)/2003] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 21st December, 2004

S.O. 84.- Whereas the Central Government, after consedering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic weighing instrument (Table top type) with digital indication of "RTT" series of high accuracy (accuracy class-II) and with brand name "RAJA" (herein referred to as the said model), manufactured by M/s Radhey Shyam Rishi Pal (Factory), 308/14, Shahzada Bagh, Industrial Area, Daya Basti, Delhi-110 035 and which is assigned the approval mark IND/09/2004/145;



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 22kg and minimum capacity of 100g. Theverification scale interval (e) is 2g. It has a tare device with a 100 per cent subtractive retained tare effect. The light omitting diode (LED) display indicates the weighing result. The instrument operates on 230 V, 50 Hz alternative current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fradulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36, of the said Act, the Central Government hereby declares that this certificates of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity up to 50 kg with verification scale interval (n) in the range of 100 to 50,000 for 'e' value of 1 mg to

50 mg and with verification scale interval (n) in the range of 5000 to 50,000 for 'e' value of 100mg or, more and with 'e' value of $1x10^k$,$2x10^k$or$5x10^k$, where k, is a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved Model has been manufactured.

[F.No. WM-21(139)/2003]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 77

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ


ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 67 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 10ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಜನವರಿ 8ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 82 [Notification No.F.No.WM.21(131)/2003] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 21st December, 2004

S.O. 82.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic weighing instrument (Platform machine-Pro weight type) with analogue indication of "224" series of medium accuracy (accuracy class-III) and with brand name "BERRY" (herein referred to as the said model), manufactured by M/s Ved Swarup Berry & Sons, B-36/10, G.T., Karnal Road, Industrial Area, Delhi-110033 and which is assigned the approval mark IND/09/2004/114;



The said Model is a steelyard type, liver based non-automatic weighing instrument (Platform machine-Proweight type) with a maximum capacity of 500kg. and minimum capacity of 2kg. The verification scale interval (e) is 100g.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36, of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 50kg. and up to 1,000 kg. with verification scale interval (n) in the range of 500 to 10,000 for 'e'

value of 5g. or more and 'e' value of 1 x 10^k,2x10^k or 5x10^k, where k, is a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved Model has been manufactured.

[F.No. WM-21(131)/2003]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಪಿ.ಆರ್. 78

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 68 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 10ನೇ ಮಾರ್ಚ್ 2005


2005ನೇ ಸಾಲಿನ ಜನವರಿ 8ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 86 [Notification No.F.No.WM.21(294)/2003] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 21st December, 2004

S.O. 86.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of a counter machine with brand name "TITLI" (herein referred to as the said Model) manufactured by M/s Kathiyawad Scale Industries, Amreli Road, Octroi Naka, Vishwakarma Industraial Area, Savarkundla-364 515 and which is assigned the approval mark IND/09/2004/128;

The said model (see the figure given) is a counter machine. Its maximum capacity is 5kg.



Further, in exercise of the powers conferred by sub-section (12) of the said Section, the Central Government hereby declares that this cerrtificate of approval of the said Model shall also cover the counter machine of similar make, accuracy and performance of same series with maximum capacity in the range of 500g to 50 kg, manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F.No. WM-21(294)/2003]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಪಿ.ಆರ್. 79

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ


ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 69 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 10ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಜನವರಿ 8ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 83 [Notification No.F.No.WM.21(131)/2003] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 21st December, 2004

S.O. 83.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic weighing instrument (Platform machine-Steelyard type) with analogue indication of "236" series of medium accuracy (accuracy class-III) and with brand name "BERRY" (herein referred to as the said Model), manufactured by M/s Ved Swarup Berry & Sons, B-36/10, G.T., Karnal Road, Industrial Area, Delhi-110033 and which is assigned the approval mark IND/09/2004/115;



The said Model is a steelyard type, liver based non-automatic weighing instrument (Platform machine Steelyard type) with a maximum capacity of 1,000 kg and minimum capacity of 4 kg. The verification scale interval (e) is 200g.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fradulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 50kg and up to 5,000 kg with verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5g. or more and with 'e' value of $1 \times 10^k, 2x10^k x5x10^k$, where k, is a positive or negative whole number

or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved Model has been manufactured.

[F.No. WM-21(131)/2003]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಪಿ.ಆರ್. 80

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ


ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 70 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 15ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಜನವರಿ 2-8ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 95 [Notification No.F.No.WM.21(36)/2004] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 21st December, 2004

S.O. 95.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic weighing instrument (Table top type) with digital indication of "ACS" series of medium accuracy (accuracy class-III) and with brand name "SANSUN" (herein referred to as the said Model) manufactured by M/s Sansui Electronics Unit-II, No. 3, Sector1, Parwanoo, Himachal Pradesh and which is assigned the approval mark IND/09/2004/131;



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 30 Kg. and minimum capacity of 100g. The verification scale interval (e) is 5 g. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instrument operates on 230V, 50 Htz alternative current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fradulent practices.

Further, in exercise of the power conferred by Sub-section (12) of Section 36, of the said Act, the Central overnment hereby declares that this certificate of approval of the model shall also cover the said weighing instrumenmts of similar make, accuracy and performance of same series with maximum capacity upto 50kg with verification scale interval (n) in the range of 100 to 10,000 for 'e' value of 100 mg to 2 g. with verification scale interval (n) in the range of 500 to 10,000 for '3' value of 5g or more and with 'e' value of 1×10^k, 2×10^k or 5×10^k, where k, is a positive or negative whole number or equal to zero

manufactured by the same manufacturer in accordance with the same principle, design and with the said same materials with which, the approved model has been manufactured.

[F.No. WM-21(36)/2004]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಪಿ.ಆರ್. 81

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ


ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 71 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಜನವರಿ 2/8ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 94 [Notification No.F.No.WM.21(36)/2004] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 21st December, 2004

S.O. 94.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic (Table top type) weighing instrument with digital indication of "ACS" series of high accuracy (accuracy class-II) and with brand name "SANSUN" (herein referred to as said Model) manufactured by M/s Sansui Electronics Unit-II, No. 3, Sector-I, Parwanoo, Himachal Pradesh and which is assigned the approval mark IND/09/2004/130;



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 30 Kg. and minimum capacity of 100g. The verification scale interval (e) is 2g. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instrument operates on 230 Volts, 50 Hertz alternative current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36, of the said Act, the Central Government hereby declares that this certificates of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity upto 50kg with verification scale interval (n) in the range of 100 to 50,000 for 'e' value 1 mg to 50 mg and of 1 g. with verification scale interval (n) in a range of 5000 to 50,000 for 'e' value of 100 mg or more and with 'e' value 1 x 10^k, 2 x 10^k or 5x10^k, where k is a possitive or negative whole number or equal

to zero manufactured by the same manufacturer in accordance with the same principal, design and with the same materials with which, the approved model has been manufactured.

[F.No. WM-21(36)/2004]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಪಿ.ಆರ್. 82

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ


ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 72 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಜನವರಿ 2/8ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 93 [Notification No.F.No.WM.21(165)/2001] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 21st December, 2004

S.O. 93.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic (Plat form type) weighing instrument with digital indication of "PES/85-F" series medium accuracy (Accuracy class-III) and with brand name "PREMIER" (herein referred to as said Model) manufactured by M/s Premier Engineering Works, 16A, Halderpara Lane, Howrah-711 104 and which is assigned the approval mark IND/09/2003/507:



MODEL : PES-85/F

The said Model (see the figure given below) is a strain gauge type load cell based weighing instrument with a maximum capacity of 120 kg and minimum capacity of 400g. The verification scale interval (c) is 20g. It has a tare device with a 100 per cent subtrative retained tare effect. The Light Emitting Diode display indicates the weighing result. The instrument operates on 230Volts, 50 Hertz alternative current power supply.

Sealing:- In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36, of the said Act, the Central Government hereby declares that this certificate of approval of the said mode is be over the weighing instruments of same series with maximum capacity upto 300 kg and with number of verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5 g. or more and with 'e' value of 1 x 10^k, 2x10^k or 5 x10^k,k being a positive or negative whole number or equal to zero manufactured by the same

manufacturer with the same principle, design and with the same materials with which, the approved model has been manufactured.

[F.No. WM-21(65)/2000]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಪಿ.ಆರ್. 83

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ


ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 73 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 15ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಜನವರಿ 2/8ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 92 [Notification No.F.No.WM-21(160)/2004] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 21st December, 2004

S.O. 92.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic (Platform type) weighing instrument with digital indication of "FSP" series of high accuracy (accuracy class-III) and with brand name "GEMTECH" (herein referred to as said Model) manufactured by M/s Gemtech Weighing Instruments, 4-A/17, Gautam Gali New Viswash Nagar, Sahadara, Delhi-110 032 and and which is assigned the approval mark IND/09/2004/38:



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Platform type) with a maximum capacity of 60 Kg. and minimum capacity of 200g. The verification scale interval (e) is 10 mg. It has a tare device with a 100 per cent subtrative retained tare effect. The light emitting diode (LED) indicates the weighing result. The instrument operates on 230 Volts, 50 Hertz alternative current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fradulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36, of the said Act, the Central Government hereby declares that this certificate of approval of the model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 50kg and above 300 kg. with verification scale interval (n) in the range of 500 to 10,000 for 'e' value

of 5 g. or more and with 'e' value of 1 x 10^k 2x10^k or 5x10^k, k, being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved model has been manufactured.

[F.No. WM-21(160)/2001]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಪಿ.ಆರ್. 84

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ


ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 74 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 15ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಜನವರಿ 2/8ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 91 [Notification No.F.No.WM-21(160)/2001] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 21st December, 2004

S.O. 91.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic (Table top type) weighing instrument with digital indication of "FWT" series of high accuracy (accuracy class-II) and with brand name "GEMTECH" (herein referred to as said Model) manufactured by M/s Gemtech Weighing Instruments, 4-A/17, Gautam Gali New Viswash Nagar, Sahadara, Delhi-110 032 and and which is assigned the approval mark IND/09/2004/37;



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 1 Kg. and minimum capacity of 5g. The verification scale interval (e) is 100 mg. It has a tare device with a 100 per cent subtrative retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instrument operates on 230 Volts, 50 Hertz alternative current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fradulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36, of the said Act, the Central Government hereby declares that this certificate of approval of the model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 50kg with verification scale interval (n) in the range of 100 to 50,000 for 'c' value of 1 mg to 50 mg. and with verification scale interval (n) in a range of 5000 to 50,000 for 'e' value of 100 mg or more and with 'e' value of 1 x 10^k, 2x10^k or 5x10^k, k, being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved model has been manufactured.

[F.No. WM-21(160)/2001]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಪಿ.ಆರ್. 85

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 75 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 15ನೇ ಮಾರ್ಚ್ 2005


2005ನೇ ಸಾಲಿನ ಜನವರಿ 2/8ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 90 [Notification No.F.No.WM-21(190)/2001] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 21st December, 2004

S.O. 90.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of self-indicating, non-automatic (Table top type) weighing instrument with digital indication of "AWJ" series of high accuracy (Accuracy class-II) and with brand name "ARROW" (herein referred to as the said Model), manufactured by M/s Arrow Weighing Systems, A-7, Nariana Industrial Area, Phase-I, New Delhi-110 028 and which is assigned the approval mark IND/09/2004/227;

The said model is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 200 g and minimum capacity of 200mg. The verification scale interval (e) is 10 mg. It has a tare device with 100 per cent subtractive retained tare effect. The light emitting diode (LED) indicates the weighing result. The instrument operates on 230 V, 50Hz alternative current power supply.



In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fradulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36, of the said Act, the Central Government hereby declares that this certificate of approval of the model shall also cover the weighing instruments of similar make and performance of same series with maximum capacity above 50kg with number of verification scale interval (n) in the range of 100 to 5000 for 'e' value of 1 mg to 50 mg. and with number of verification scale interval (n) in a range of 5000 to 50,000 for 'e' value of 100 mg or more and with 'e' value of 1 x 10^k, $2x10^k$ or $5x10^k$, k, being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved model has been manufactured.

[F.No. WM-21(190)/2001]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 86

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 76 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 14ನೇ ಮಾರ್ಚ್ 2005


2005ನೇ ಸಾಲಿನ ಜನವರಿ 2/8ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 89 [Notification No.F.No.WM-21(190)/2001] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 21st December, 2004

S.O. 89.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic (Table top type) weighing instrument with digital indication of "AWT" series of medium accuracy (Accuracy class-III) and with brand name "ARROW" (herein referred to as the said Model), manufactured by M/s Arrow Weighing Systems, A-7, Nariana Industrial Area, Phase-I, New Delhi-110 028 and which is assigned the approval mark IND/09/2004/228;

The said model is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 30 kg and minimum capacity of 100mg. The verification scale interval (e) is 5g. It has a tare device with 100 per cent subtractive retained tare effect. The light emitting diode (LED) indicates the weighing result. The instrument operates on 230 V, 50Hz alternative current power supply.



In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fradulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36, of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make accuracy and performance of same series with maximum capacity above 50kg with number of verification scale interval (n) in the range of 100 to 10000 for 'e' value of 2 g to or with verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5g or more and with 'e' value of 1×10^k, $2x10^k$ or $5x10^k$, k, being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved model has been manufactured.

[F.No. WM-21(190)/2001]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಪಿ.ಆರ್. 87

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 77 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 15ನೇ ಮಾರ್ಚ್ 2005


2005ನೇ ಸಾಲಿನ ಜನವರಿ 2/8ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 88 [Notification No.F.No.WM-21(190)/2001] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 21st December, 2004

S.O. 88.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of the self-indicating, non-automatic (Platform type) weighing instrument with digital indication of "AWP" series of medium accuracy (Accuracy class-III) and with brand name "ARROW" (herein referred to as the said Model), manufactured by M/s Arrow Weighing Systems, A-7, Nariana Industrial Area, Phase-I, New Delhi-110 028 and which is assigned the approval mark IND/09/2004/229;

The said model (see thje figure given below) is a strain gauge type load cell based weighing instrument with a maximum capacity of 100 kg and minimum capacity of 400mg. The verification scale interval (e) is 20g. It has a tare device with 100 per cent subtractive retained tare effect. The light emitting diode (LED) indicates the weighing result. The instrument operates on 230 V, 50Hz alternative current power supply.



In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fradulent practices.

Further, in exercise of the power conferred by Sub-section (12) of Section 36, of the said Act, the Central Government hereby declares that this certificate of approval of the model shall also cover the weighing instrument of same series with maximum capacity above 50kg and up to 300kg and with number of verification scale interval (n) in the range of 500 to 1000 for 'e' value of 5g or more and with 'c' value of 1 x 10^k, 2x10^k or 5x10^k, k, being positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved model has been manufactured.

[F.No. WM-21(190)/2001]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಪಿ.ಆರ್. 88

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 78 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 15ನೇ ಮಾರ್ಚ್ 2005


2005ನೇ ಸಾಲಿನ ಜನವರಿ 2/8ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 87 [Notification No.F.No.WM-21(286)/2001] ದಿನಾಂಕ:21.12.2004 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

New Delhi, the 21st December, 2004

S.O. 87.- Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of non-automatic weighing instrument (Mechanical platform type) with steel yard and pro-weight (herein referred to as the said model) belonging to medium accurary class (accuracy class-III) of series 'BSP' and with brand name "BANSAL", manufactured by M/s Bansal Scales India, Geeta Bhawan Road, Opposite Telephone Exchange, Sonepet, Haryana and which is assigned the approval mark IND/09/2004/175;

The said model is a mechanical type lever based non-automatic weighing instrument (Mechaical Platform type) with steel yard and pro-weight maximum capacity of 300 kg, minimum capacity 2kg and belonging to medium accuracy class (accurary class-III). The value of verification scale internal 'e' is 100g.



In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fradulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36, of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of same make, accuracy and performance of same series with maximum capacity

above 50kg and upto 1000kg and with number of verification scale interval (n) in the range of 500 to 1000 for 'c' value of 5g or more and with 'e' value of 1 x 10^k, $2x10^k$ or $5x10^k$, k, being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved model has been manufactured.

[F.No. WM-21(286)/2003]

P.A. KRISHAMOORTHY, Director of Legal Metrology.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ಕೆ. ನೀಲಕಂಠಾಚಾರ್

ಪಿ.ಆರ್. 89

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ (ಪ್ರಭಾರ),
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 79 ಕೇಶಾಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 24ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಫೆಬ್ರವರಿ 16ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(i)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ GSR 75(E) [F.No.23/35/2003-R&R) ದಿನಾಂಕ:16.2.2005 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF POWER

NOTIFICATION New Delhi, the 16th February, 2005

G.S.R. 75(E).- In exercise of the powers conferred by sub-section (1) of section 176 read with sub-sections (2) and (3) of section 166 of the Electricity Act, 2003 (No.36 of 2003), the Central Government hereby makes the following rules, namely:-

1. **Short title and commencement.-** (1) These rules may be called the Forum of Regulators Rules, 2005.
   (2) They shall come into force on the date of their publication in the Official Gazette.
2. **Definitions.-** In these rules, unless the context otherwise requires,-
   (1) "Forum" means 'Forum of regulators' as constituted under rule 3;
   (2) "Act" means the 'Electricity Act, 2003 (No.36 of 2003).
   (3) Words and expressions used herein and not defined, but defined in the Act, shall have the meanings respectively assigned to them in the said Act.
3. **Constitution of the Forum.-** (1) The Forum shall consist of the Chairperson of the Central Commission and Chairperson of the State Commissions. The Chairperson of the Central Commission shall be the Chairperson of the Forum of Regulators.
   (2) The Secretary to the Central Commission shall be the ex-officio Secretary to the Forum.
   (3) Secretarial assistance to the Forum shall be provided by the Central Commission.
   (4) The headuarter of the Forum will be located at New Delhi.
4. **Functions of the Forum.-** The Forum shall discharge the following functions, namely:-
   (i) analysis of the tariff orders and other orders of Central Commission and State Commissions and compilation of data arising out of the said orders, highlighting, especially the efficiency improvements of the utilities;
   (ii) harmonization of regulation in power sector;
   (iii) laying of standards of performance of licensees as required under the Act.
   (iv) sharing of information among the members of the Forum on various issues of common interest and also of common approach.
   (v) undertaking research work in-house or through outsourcing on issues relevant to power sector regulation;
   (vi) evolving measures for protection of interest of concumers and promotion of efficiency, economy and competition in power sector; and
   (vii) such other functions as the Central Government may assign to it, from time to time.

5. **Finances of the Forum.-** (1) The Central Commission may take necessary financial contributions from the State Commissions for carrying out the activities of the Forum.
   (2) The Central Commission will keep separate accounts for the activities of the Forum.
6. **Meetings of the Forum.-** (1) The Forum shall meet at least twice in a year.
   (2) The Forum will frame its own rules of business for the conduct of its meetings.

7. Annual Report.- The Forum of Regulators shall prepare every year, an annul report, giving a summary of its activities during the previous financial year and copies of the report shall be forwarded to the Central Government.

[F.No. 23/35/2003-R&R]
AJAY SHANKAR, Addl. Secy.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ
ರಿಚಾರ್ಡ್ ಲೋಬೋ
ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಉಪ ಕಾರ್ಯದರ್ಶಿ,
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 90

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 83 ಕೇಶಾಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 24ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಫೆಬ್ರವರಿ 11ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O.195(E) [No.51/2005/F.No.187/31/2004-ITA.I) ದಿನಾಂಕ:11.2.2005 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF FINANCE
(Department of Revenue)
(CENTRAL BOARD DIRECT TAXES)
NOTIFICATION, New Delhi the 11th February, 2005
(Income Tax)

S.O. 195(E).- In exercise of the powers conferred by Section 35CCA of the Income Tax Act, 1961 read with rule 6AAA of the Income Tax Rules, 1962, the Central Board of Direct Taxes empowers the Income-tax authorities specified in column number (2) of the Schedule hereto annexed to be the Chairman of the Committee for the purposes of Section 35CCA for the States/Union territories specified in column number (3) of the said Schedule.

SCHEDULE

S. No.	Income-tax authorities	State/Union Territory
(1)	(2)	(3)
1.	Chief Commissioner of Income-tax, Kolkata-I	West Bengal
2.	Chief Commissioner of Income-tax, Delhi-I	Delhi
3.	Chief Commissioner of Income-tax, Chandigarh	Punjab
4.	Chief Commissioner of Income-tax, Jaipur	Rajasthan
5.	Chief Commissioner of Income-tax, Ahmedabad-I	Gujarat
6.	Chief Commissioner of Income-tax, Mumbai-I	Maharashtra
7.	Chief Commissioner of Income-tax, Bangalore-I	Karnataka
8.	Chief Commissioner of Income-tax, Thiruvananthapuram	Kerala
9.	Chief Commissioner of Income-tax, Hyderabad-I	Andhra Pradesh
10.	Chief Commissioner of Income-tax, Chennai-I	Tamil Nadu
11.	Chief Commissioner of Income-tax, Bhopal	Madhya Pradesh
12.	Chief Commissioner of Income-tax, Lucknow-I	Uttar Pradesh
13.	Chief Commissioner of Income-tax, Guwahati	Assam

[Notification No.51/2005/F.No.187/31/2004-ITA-I]
DEVI SHARAN SINGH, Under Secy.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ
ರಿಚಾರ್ಡ್ ಲೋಬೋ
ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಉಪ ಕಾರ್ಯದರ್ಶಿ,
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 92

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 84 ಕೇಶಾಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 24ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಫೆಬ್ರವರಿ 11ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O.175(E) [F.No.109-16/2004-Trade) ದಿನಾಂಕ:7.2.2005 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF AGRICULTURE
(Department of Animal Husbandry and Dairying)
NOTIFICATION, New Delhi, the 7th February, 2005

S.O. 175(E).- In exercise of the powers conferred by Sub-section (1) of Section 3 and Section 3A of the Livestock Importation Act, 1898 (9 of 1989), the Central Government hereby prohibits, with effect from date of publication of this notification, the import into India from all countries in view of the reported outbreak of Highly Pathogenic Avian Influenza (Fowl Plague), the following livestock and livestock products, namely:-

(i) domestic and wild birds including the captive birds;
(ii) live pig and pig meat products (except processed pig meat products);
(iii) meat and meat products from avian species including wild birds (except processed poultry meat and poultry meat products);
(iv) semen of demoestic and wild birds;
(v) products of animal origin (from birds) intended for use in animal feeding or for agricultural or industrial use.

Further, in exercise of the powers conferred by sub-section (1) of Section 3 and Section 3A of the said Act, the Central Government hereby prohibits also the import into India from the countries reporting the outbreak of Highly Pathogenic Avian Influenbza (Fowl Plague), the following livestock and livestock products, namely:-

(i) day old chicks, ducks, turkey and other newly hatched avian species;
(ii) hatching eggs;
(iii) eggs and egg products;
(iv) meat and meat products from avian species including wild birds;
(v) feathers;
(vi) pig meat products;
(vii)pathological material and biological products from birds.

2. The prohibition shall be in force for a period of six months from the date publication of this notification or till such time it is modified or withdrawn whichever is earlier.

[F.No.109-16/2004-Trade]
TAPESH PAWAR, Jt. Secy.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ
ರಿಚಾರ್ಡ್ ಲೋಬೋ
ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಉಪ ಕಾರ್ಯದರ್ಶಿ,
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 93

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 85 ಕೇಶಾಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 24ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಫೆಬ್ರವರಿ 9ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O.185(E) [F.45/2005/F.No.142/26/2004-TPL) ದಿನಾಂಕ:9.12.2005 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF FINANCE
(Department of Revenue)
(CENTRAL BOARD OF DIRECT TAXES)
NOTIFICATION, New Delhi, the 9th February, 2005
(INCOME-TAX)

S.O. 185(E).- In exercise of the powers conferred by section 295 read with clause (19) of Section 10 of the Income-tax Act, 1961 (43 of 1961), the Central Board of Direct Taxes hereby makes the following rules further to amend the Income-tax Rules, 1962, namely:-

1. (1) These rules may be called the Income-tax (4th Amendment) Rules, 2005.
(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Income-tax Rules, 1962, after rule 2BB, the following rule shall be inserted, namely:-

"Circumstances and conditions for the purposes of clause (19) of section 10.

2BBA. (1) For the purposes of clause (19) of section 10, the circumstances of death of a member of the armed forces (including paramilitary forces) of the Union in the course of operational duties shall be the following, namely:-

(i) acts of violence or kidnapping or attacks by terrorists or anti-social elements;

(ii) action against extremists or anti-social elements;

(iii) enemy action in international war;

(iv) action during deployment with a peace keeping mission abroad;

(v) border skirmishes;

(vi) laying or clearance of mines including enemy mines as also mine sweeping operations;

(vii)explosions of mines while laying operationally oriented mine-fields or lifting or negotiation mine-fields laid by the enemy or own forces in operational areas near international borders or the line of control;

(viii) in the aid of civil power in dealing with natural calamities and rescue operations;

(ix) in the aid of civil power in quelling agitation or riots or revolts by demonstrators.

(2) It shall be certified by the Head of the Department where the deceased member of the armed forest (including para-military forces) last served, or the service headquarters, as the case may be, that the death of such member has occurred in the course of operational duties in circumstances mentioned in sub-rule (1).".

[Notification No. 45/2005/F.No.142/26/2004-TPL]

CHANDRAJIT SINGH, Under Secy.

Note:- The principal rules were published vide notification No. S.O. 969(E), dated the 26th March, 1962 which has been amended from time to time, and last amended vide notification No. S.O. 167(E) dated the 4th February, 2005.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ರಿಚಾರ್ಡ್ ಲೋಬೋ

ಪಿ.ಆರ್. 94

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಉಪ ಕಾರ್ಯದರ್ಶಿ,

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 90 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 31ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಮಾರ್ಚ್ 4ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(i)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ G.S.R.153(E) (No.F.No.7/1/2005-M-VI] ದಿನಾಂಕ:4.3.2005 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF MINES

NOTIFICATION, New Delhi, the 4th March, 2005

G.S.R. 153(E).- In exercise of the powers conferred by Section 13 of the Mines and MInerals (Development and Regulation) Act, 1957 (67 of 1957), the Central Government hereby makes the following rules further to amend the Mineral Concession Rules, 1960, namely:-

1. (1) These rules may be called the Mneral Concession (Second Amendment) Rules, 2005.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In rule 64D of the Mineral Concession Rules, 1960, under the heading 'Guidelines':-

(a) In the heading of Case I, after the word 'aluminium,' the following shall be inserted, namely:-

"(bauxite and laterite despatched for use in alumina and aluminium metal extraction)";

(b) In the Explanation below Case 2, after the word aluminium, the following shall be inserted, namely:-

"(bauxite and laterite despatched for use in alumina and aluminium metal extraction)";

(c) In the heading of Case 3, after the word 'aluminium,' the following shall be inserted, namely:-

"(bauxite and laterite despatched for use in alumina and aluminium metal extraction)";

[F.No.7/1/2005-M-VI]

PRASHANT MEHTA, Jt Secy.

Note:- The principal rules were published ion the Official Gazette vide number GSR 1398 dated 26.11.1960 and lastly amended vide No.G.S.R. 49(E), dated 28.1.2005.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ರಿಚಾರ್ಡ್ ಲೋಬೋ

ಪಿ.ಆರ್. 97

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಉಪ ಕಾರ್ಯದರ್ಶಿ,

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 91 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 31ನೇ ಮಾರ್ಚ್ 2005

2005ನೇ ಸಾಲಿನ ಫೆಬ್ರವರಿ 28ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii)ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O.265(E) (No.F.No.68/2005/F.No.FB/9/2005-TPL) ದಿನಾಂಕ:28.2.2005 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF FINANCE

(Department of Revenue)

(CENTRAL BOARD OF DIRECT TAXES)

NOTIFICATION, New Delhi, the 28th February, 2005

INCOME-TAX

S.O. 265(E).- In exercise of the powers conferred by Section 295 read with sub-clause (vi) of clause (2) of Section 17 of the Income-tax Act, 1961 (43 of 1961), the Central Board of Direct Taxes hereby makes the following rules further to amend the Income-tax Rules, 1962, namely:-

1. (1) These rules may be called the Income-tax (7th Amendment) Rules, 2005.
   (2) They shall come into force on the 1st day of April, 2005.
2. In the Income-tax Rules, 1962, in rule 3,-
   (a) in sub-rule (1), for Table I, the following Table shall be substituted, namely:-

"TABLE I

Serial Number	Circumstances	Where accommodation is unfurnished	Where accommodation is furnished
(1)	(2)	(3)	(4)
(1)	Where the accommodation is provided by the Central Government or any State Government to the employees either holding office or post in connection with the affairs of the Union or of such State or serving with any body or undertaking under the control of such Government on deputation.	Licence fee determined by the Central Government or any State Government in respect of accommodation in accordance with the rules framed by such Government as reduced by the rent actually paid by the employee.	The value of peruisite as determined under column (3) and increased by 10% per annum of the cost of furniture (including television sets, radio, sets, refrigerators, other household appliances, air conditioning plant or equipment) or if such furniture is hired from a third party, the actual hire charges payable for the same as reduced by any charges paid or payable for the same by the employee during the previous year.
(2)	Where the accommodation is provided by any other employer and-		

Serial Number	Circumstances	Where accommodation is unfurnished	Where accommodation is furnished
	(a) where the accommodation is owned by the employer, or	(i) 20% of salary in cities having population exceeding 4 lakhs as per 2001 census; (ii) 15% of salary in other cities, in respect of the period during which the said accommodation was occupied by the employee during the previous year as reduced by the rent, if any, actually paid by the employee.	The value of perquisite as determined under column (3) and increased by 10% per annum of the cost of furniture (including television sets, radio sets, refrigerators, other households appliances, air conditioning plant or equipment or other similar appliances or gadgets) or if such furniture is hired from a third party, by the actual hire charges payable for the same as reduced by any charges paid or payable for the same by the employee during the previous year.
	(b) Where the accommodation is taken on lease or rent by the employer.	Actual amount of lease rental paid or payable by the employer or 20% of salary whichever is lower as reduced by the rent, if any, actually paid by the employee.	The value of perquisite as determined under column (3) and increased by 10% per annum of the cost of furniture (including television sets, radio sets, refrigerators, other households appliances, air conditioning plant or equipment or other similar appliances or gadgets) or if such furniture is hired from a third party, by the actual hire charges payable for the same as reduced by any charges paid or payable for the same by the employee during the previous year.
(3)	Where the accommodation is provided by the employer specified in serial number (1) or (2) above in a hotel (except where the employee is provided such accommodation for a period not aggregate 15 days on his transfer from one place to another)	Not applicable.	24% of salary paid or payable for the previous year or the actual charges paid or payable to such hotel, which is lower, for the period during which such accommodation is provided as reduced by the rent, if any, actually paid or payable by the employee";

(b) sub-rule (2) shall be omitted;
(c) sub-rule (6) shall be omitted;
(d) in sub-rule (7), clauses (ii) to (vi) shall be omitted;
(e) sub-rule (8) shall be omitted.

[Notification No.68/2005/F.No. FB/9/2005-TPL]

CHANDRAJIT SINGH, Under Secy.

Note:- The principal rules were published under notification No. S.O. 969 dated the 26th March, 1962 which has been amended from time to time, the last such amendment was made vide notification No. S.O.232(E) dated 17.2.005.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ

ರಿಚಾರ್ಡ್ ಲೋಬೋ

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಉಪ ಕಾರ್ಯದರ್ಶಿ,

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಪಿ.ಆರ್. 98